

NOTES

- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL ENGINEERS & ARCHITECTS DRAWINGS FIGURED DIMENSIONS ONLY (NOT SCALING) TO BE USED, WHERE A CONFLICT OF INFORMATION EXISTS OR IF IN ANY DOUBT - ASK.
- CONSULTANTS TO BE INFORMED IMMEDIATELY OF ANY DISCREPANCIES BEFORE WORK PROCEEDS.

WAYLEAVE LEGEND

	DENOTES IRISH WATER WATERMAIN WAYLEAVE
	DENOTES IRISH WATER SEWER WAYLEAVE



ALL DIMENSIONS INDICATE DISTANCE FROM FACE OF BUILDING TO EDGE OF SEWER OR WATERMAIN, AS APPLICABLE.

1500mm CLEAR DISTANCE BETWEEN EXISTING 1350mm SEWER AND PROPOSED DIVERTED 225Ømm SEWER

PROPOSED DEVELOPMENT AND WAYLEAVE PROVISION

SCALE @ A0: 1:250
SCALE @ A2: 1:500

ISSUE	DATE	DESCRIPTION	DRG	P	S
PL4	18.04.19	ISSUED FOR PLANNING	CS	CS	CS
PL3	18.01.19	ISSUED FOR PLANNING	CS	CS	CS
P5	14.11.18	ISSUED FOR APPROVAL	CS	CS	CS
P4	05.11.18	SURVEY CO-ORDINATES UPDATED	CS	CS	CS
P3	29.08.18	ISSUED FOR APPROVAL	CS	CS	CS
P2	28.08.18	ISSUED FOR APPROVAL	CS	CS	CS
P1	08.08.18	ISSUED FOR COMMENT	CS	CS	CS

PLANNING

BM Dublin Office
Sawthill House, 33-34 Lower Sawthill Street, Dublin 2, Ireland
Tel: 01 472 2300 Fax: 01 472 2184

BARRETT MANDRY London Office
12 Mill Street, London SE1 2AY, United Kingdom
Tel: (0204) 084 5413 2722

Consulting Engineers, Civil, Structural, Project Management E-mail: info@bmm.ie Web: www.bmm.ie



CLIENT: **DEVELOPMENT 8**

PROJECT TITLE: **CONCORDE RESIDENTIAL DEVELOPMENT** BM PROJECT No: **18.232**

MODEL REFERENCE: **CCRD-BMD-00-ZZ-DR-C-1009** MODEL REV: **P1** SUSTAINABILITY: **S1**

DRAWING TITLE: **PROPOSED DEVELOPMENT AND WAYLEAVE PROVISION**

DRAWING No: **CCRD-BMD-00-ZZ-DR-C-1009** ISSUE: **PL4**